Toot Dotah	offored	YES/NO	
Test Patch	onerea	I ES/NO	

Informed Consent for Laser Tattoo Removal

Custo	mer's name:	Date:
, and rela		uthorize and members of his/her staff to perform multiple treatments, laser procedures planned uses laser technology for the removal of tattoos.
aser tat	too removal or decline after know	med about your treatment so that you may make the decision whether to proceed for a state of the risks involved. This disclosure is to help to inform you prior to your consent for a solution of the complications related to laser tattoo removal:
The follo	wing problems may occur with the t	ttoo removal system:
1.		lure include but are not limited to pain, purpura, swelling, redness, bruising, blisterin airs, infection, and unforeseen complications which can last up to many months, years
2.	There is a risk of scarring.	
3.	the skin (known as hyperpigmen	eddening, mild burning, temporary bruising or blistering. A brownish/red darkening tion) or lightening of the skin (known as hypopigmentation) may occur. This usua up to 3-6 months to heal. Permanent color change is a rare risk. Loss of freckles
4.	tattoos are made with iron oxide palso turn black. This black or dark	the skin can occur and can be permanent. Many of the cosmetic tattoos and bodgments. Iron oxide can turn red-brown or black. Titanium oxide and other pigments may color may be un-removable. Because of the immediate whitening of the exposed treated mporary obscuring of ink, which can make it difficult or impossible to notice a specific coloress.
5.	virus infections around the mouth of simplex virus infections and individual	ring treatment is unusual, bacterial, fungal and viral infections can occur. Herpes simple an occur following a treatment. This applies to both individuals with a past history of herperals with no known history of herpes simplex virus infections in the mouth area. Should are all treatments or medical antibiotics may be necessary.
6.	Bleeding: Pinpoint bleeding is rare may be necessary.	but can occur following treatment procedures. Should bleeding occur, additional treatment
7.	process especially if the tattoo pigra severe allergic reaction that car	neen reports of hypersensitivity to the various tattoo pigments during the tattoo removement contained Mercury, cobalt or chromium. Upon dissemination, the pigments can induct occur with each successive treatment. Noted in some patients are superficial erosion and swelling which can last up to many months, years or permanently.
8.		delines is crucial for healing, prevention of scarring, and hyper-pigmentation. Afterca for 2 months after the procedure. If it is necessary to be in the sun, a sunscreen with SF
9.		ts will be necessary to achieve desired results. No guarantee, warranty or assurance has that may be obtained. Complete tattoo removal is not always possible as tattoos we
	nally, unforeseen mechanical proble	ms may occur and your appointment will need to be rescheduled. We will make every se office. Please be understanding if we cause you any inconvenience.
ACKNOV	VLEDGMENT:	
		been answered satisfactorily. I understand the procedure and accept the risks. I hereby illities associated with the above indicated procedure.
Client/G	uardian Signature	Date
	chnician Signature	

Consent for Subsequent Treatment SHR/IPL/Laser

have taken place since my previous treatment	es to my medical mistery of medication
Client Signature	 Date
Printed name of signatory:	
Consent for Subsequent Treatment I certify that I have not been tanning and that no chang have taken place since my previous treatment	es to my medical history or medication
Client Signature	 Date
Printed name of signatory:	
Consent for Subsequent Treatment I certify that I have not been tanning and that no chang have taken place since my previous treatment	es to my medical history or medication
Client Signature	 Date
Printed name of signatory:	
Consent for Subsequent Treatment I certify that I have not been tanning and that no chang have taken place since my previous treatment	es to my medical history or medication
Client Signature	 Date
Printed name of signatory:	
Consent for Subsequent Treatment I certify that I have not been tanning and that no chang have taken place since my previous treatment	es to my medical history or medication
Client Signature	 Date
Printed name of signatory:	
Consent for Subsequent Treatment I certify that I have not been tanning and that no chang have taken place since my previous treatment	es to my medical history or medication
Client Signature	 Date
Printed name of signatory:	·

Client Medical History Laser Tattoo Removal

Name:	Birth Date://	Age:
Address:		Sex: M / F
City/Town:	Post Code:	
Home: () Work: (_) Mobile:	()
E-mail:		
Emergency Contact:	Telephone: ()	
Allergies:		
Please put a check mark next to a past of Medical History: Previous Tattoo Removal	Herpes simplex (Col Diabetes Epilepsy	d Sores) accutane® in the last gnancy or after skin
Bleeding abnormalities Blood thinning medication Keloid or very thick scarring Psoriasis or Vitiligo Current treatment for Pulmonary embolism/blood clot, Leg ulcers or Phlebitis Rheumatoid Arthritis "Gold" Therapy Acute or Chronic Renal Failure Photodynamic Therapy (PDT) within la 3 months Chemotherapy/Radiotherapy within las 3 months	— HIV — Hepatitis — Transplant Anti-Reje — If tattoo removal Chemical Peels, D Resurfacing or Face	is on the face: ermabrasion, Laser
Please list any other medications or herbal s	supplements that you are curre	ently taking:-
Client Signature	 Date	

		Skin Typin	q
NAME		DATE	
Please answer the during the consulta		by circling the number which best describes you. We will total the score	
My ethnic origin is	s closest to:	I. Very fair (Celtic and Scandinavian)	
(check one)	-	II. Fair-skinned Caucasians with light hair and light eyes	\vdash
,	_	III. Pale-skinned Caucasians with dark hair and dark eyes	\top
	_	IV. Olive-skinned (Mediterranean, some Asian, some Hispanic)	\vdash
	-	V. Dark-skinned (Middle Eastern, Hispanic, Asians, some Africans)	\vdash
	-	VI. Very dark-skinned (African)	
My eye color is:		Light blue	0
, 0,0 00.00.	_	Blue/green	1
	-	Green/gray/golden	2
	-	Hazel/light brown	3
	-	Brown	4
	-		
My natural hair co	lor at age 18	Red	0
was:	-	Blonde	1
	-	Light brown	2
	-	Dark brown	3
	-	Black	4
The color of my ski	in that is not	Pink to reddish	0
normally exposed to	to sun is:	Very pale	1
	_	Pale with a beige tint	2
	_	Light brown	3
	_	Medium to dark brown	4
	_	Dark brown-black	6
If I go out into the	sun for an hour	Burn, blister and peel	0
or so without sun	_	Burn, then when the burn resolves there is little or no color change	1
not been out in th	e sun for weeks,	Burn, but then turns to tan in a few days	2
my skin will:	-	Get pink, but then turns to tan quickly	3
	-	Just tan	4
	-	Just gets darker	5
	_	My skin color is so dark I can't tell	6
When was the last	t time the area to	Longer than one month ago	0
be treated was ex		Within the past month	1
sunlight, tanning		<u> </u>	3
artificial tanning c	rtificial tanning cream? Within the past two weeks		4
Within the past week			
	_	Total Score:	
If your score is:	Your skin type is:	Notes:	
0-3	<u> </u>	_	
4- 7 8-11	ll III	-	
12- 15	IV		
16- 19	V		
20- 24	VI		

Tattoo Removal Aftercare Information

The following notes are important, please read them carefully.

- If the skin has not broken, a dry sterile dressing can be placed over the treated area to protect it.
- The area will become raised and feel hot, it can be cooled with the use of a cold compress or an ice pack. Do not apply ice directly to the skin as this can cause a burn.
- As long as the skin is unbroken cooling products such as Aloe Vera gel can be used to give relief to the sunburn type feeling of the treated area.
- A thin layer of an antiseptic cream can be used if your skin is broken to help protect from any infection.
- E45 cream, Aloe Vera gel or Vaseline can be used to relieve the itching which normally occurs 3 5 days after the treatment.
- Avoid direct exposure to the sun for 2 months after the procedure. If it is necessary to be in the sun, a sunscreen with SPF 25 or greater must be used.
- Some people develop blisters, crusts, or scabs within 8-72 hours, which may last for 1-2 weeks or more. The treated areas may be pink or pale after the scab separates. Blistering is common and is likely to occur 8 hours after your treatment. Do not be alarmed, blisters heal very well and are part of the normal healing process. Blisters indicate your immune system is healing the area and beginning to remove the ink from your tattoo. It is natural for blisters to pop, and this helps the skin to heal faster in many cases.
- Keep the treated area clean and dry while it is healing

Whilst Healing

- Avoid restrictive clothing around the treated area.
- Avoid using perfume, body lotions, or make up on the treated area.
- Avoid hot baths or continuous soaking, leave at least 2 hours before showering.
- Avoid heat treatments such as saunas and steam rooms for at least 2 months, as your skin will be more photosensitive.
- Avoid swimming.

Date

- Avoid lying in the sun or using sun beds.
- Do not pick at any scabs.
- Do not burst any blisters.
- Avoid allowing the area to become scrapped or knocked, especially during exercise.

I confirm I have read and understood	the aftercare advic
Signed	-