



### **How it works**





HIFU-powered transducers deliver concentrated waves of ultrasound into multiple layers of skin and body tissues without making direct contact with surrounding areas.

Transferring stabilized temperatures of 65~75°C into the targeted zones, the SMASFOCUS V aims to induce a process of neocollagenesis in the face while tightening body tissues for contouring purposes

#### **FOR LIFTING & TIGHTENING**



1 The dermis layer of the skin naturally synthesizes less collagen over the course of time.



**3** Stimulated by the focused energy, skin collegan starts to regeneration.



2 Focused ultrasound waves deliver energy directly within the skin layer causing a shrinking effect.



4 Through the regeneration of collagen, wrinkles are eliminated in the process of both firming and tightening the skin.

#### **FOR SLIMMING & CONTOURING**



1 Fat cells and cellulite is formed within the body.



3 As a natural healing response of the body the cells regenerate joining together to fill the gap.




2 The SMASFOCUS V energy destroys the fat cells that have been targeted.



4 In result, the layer of fat naturally exits the body delivering a smooth, contoured body line.

#### **FOR VAGINAL TIGHTENING**









### **Product Introduction**





Vmax single dot handle



Eyebrow, Wrinkles around eyes, Wrinkles around month



2D hifu handle



1.5mm, 3.0mm, 4.5mm






3D hifu handle



1.5mm, 3.0mm, 4.5mm



6.0mm, 8.0mm, 10.0mm, 13.0mm, 16.0mm



Abdomen, Inner thighs, Outer thighs, Hips & Buttocks, Inner arms, Breast



Liposonix handle



8.0mm, 13mm

Body slimming and fat reduction



Vaginal handle



3.0mm, 4.5mm

Vaginal tightening











### **Easy to upgrade**


Each machine is pre-loaded with a software system with all handle functions before shipment. When users need to upgrade the machine functions, they only need to purchase the handle with that function, plug the handle into the machine, and the software system can automatically identify the new handle to realize machine function upgrade.





2D HIFU 3D HIFU








Vmax Liposonix Vaginal



## **Before and after**







After

Before After Before After Before

# **Specifications**

Power		1200 W
Freque	ncy	4 ~ 7MHz
Net We	ight	25kg
Dimens	sion	400*350*1060mm
Voltage	AC AC	100-240v 50/60Hz